

INDUCTION HOB

VFL6532

BUILT-IN INDUCTION BRIDGE HOB
30cm. | 2 Cooking Zones— Bridge

EAN

8858787029149

PRICE

THB 29,500.-

Unit price in THB is
inclusive of 7% VAT.

MAXIMUM SPACE FOR MORE COOKING FLEXIBILITY

With **Bridge** Induction, it merges two cooking zones into one to heat large cookware. This allows you to use pans or pots of every shape and size on the hob. It can accommodate different sizes of cookware to maximize efficiency, energy savings and enjoyment when cooking large meals.



HI-CLASS, HI QUALITY CERAMIC GLASS

Thanks to **EUROKERA** ceramic glass Elegant with front-bevelled design making your kitchen charming and outstanding. MEX hob still feature beautifully modern designs and sleek aesthetics that open up your kitchen to more space.



LIGHT TOUCH & SLIDE FOR YOUR DESIRED SELECTION

Easy to operate and set the slider control of power levels (9 power levels), times and additional functions at desired cooking zones independently. Let your cooking control easily.



FASTER HEATING, TIME-SAVING COOKING

Simply activate **Power Boost** for faster heating on a cooking zone on your induction hob to reduce cooking time.



INDUCTION BRIDGE HOB VFL6532

SIMPLY PAUSE AND RECALL WHILE COOKING

Added convenience when cooking with **"Pause"** function, the hob can be left unattended for 10 minutes without food overcooking or burning. When you return to the hob, the previously set power levels can be reactivated with another touch of a button.

"Recall" function allows you to call back the last setting selected for cooking in 6 seconds when the induction hob is turned off accidentally.



TIMER, MAKE LIFE EASIER

The hob timer helps to make your daily cooking time easier. You can set different time duration for your cooking zones up to 120 minutes. When the timer runs out, it is then switched off automatically.



SAFE AND SECURE YOUR LOVE ONES

The **ChildLock** function is beneficial to prevent accidental changes in hob settings, prevent children from turning on the hob and unwanted use. This gives you extra peace of mind and the highest level of safety.

Residual Heat Indicator is another safety function to Show when the hob is still hot after finishing your cooking time.

The **Pot Detection** feature allows automatically detects where you placed your pans or pots and activates the corresponding induction zone. MEX induction hob transfer heat directly onto surface of pans or pots only. This means that it does not heat up to other surfaces such as paper and body touch resulting to minimize risk at home



KEEP WARM FOR YOUR PERFECT MEAL


Keep Warm function maintains your cooking dishes warm at constant temperatures and warm up your food smoothly. Thus, you can enjoy your perfect meal at serving temperature.



INDUCTION BRIDGE HOB VFL6532

FEATURES

- 30 cm. built in induction hob with bridge function.
- High quality EUROKERA ceramic glass.
- 2 cooking zone (1 bridge) :
 - Front Octa : 190 x 210mm. / 2.1 kW Booster 3.0 kW
 - Rear Octa : 190 x 210mm. / 2.1 kW Booster 3.0 kW
- The Bridge function allows you to combine two cooking zones to a single large zone, suitable for large pans.
- Quick and easy heat adjustment with slider control.
- 9 power levels heat setting.
- Cooking Timer : 1-120 minutes.
- A function : Automatic heat up function.
- U function : Keep warm function.
- Pause function : Left a hob for 10 minutes and reactivated when returned.
- Recall function : Allows to recall the last settings selected in 6 seconds after accidentally turned off.
- Residue heat indicator : Show that the hob is still hot after finished cooking time.
- Pot detection : Automatically detects where you placed your pans or pots.
- Child safety lock : Prevents accidental change in hob setting.
- Made in Italy



SPECIFICATION

PRODUCT MEASUREMENT

Overall Dimension	W290 x D510 mm
Net Weight	5.04 Kg.

PACKAGING MEASUREMENT

Overall Dimension	W350 x D560 x H150 mm
Gross Weight	5.87 Kg.

INSTALLATION REQUIREMENT

Counter-Top Cutting Size	W270 x D480 mm
--------------------------	----------------

IMPORTANT SAFTY INFORMATION

Power Supply	220-240V / 50-60 Hz.
Nominal Power	3.7 kW
Size of wire (mm ²)	3 x 2.5 THW
This appliance must be properly grounded	

ISOMETRIC VIEW

